


MASK PATTERN N° 1

FOR 1-3 SEWISTS

ADULT SIZE

●○○○○



BY ADRIANNE POPE


TOOLS & MATERIALS

- 2 pieces 9" x 7" pre-washed cotton fabric (tea towels, t-shirts and bedsheets work well)
- 4 strips of fabric for ties (elastic, binding, or shoe laces will work, but my favorite is a cut-up old t-shirt. Cut strips from the body of the shirt and trim to size)
- sewing machine
- thread
- pins
- scissors


INSTRUCTIONS

Work at your own pace until step 3. At this point, switch to the instructions on the pattern pieces. Sewists may play off the score or individual parts. If printing the score or parts, make sure the printer is set to print at 100%.

1. Align fabric ties with DOTS on the RIGHT SIDE of one fabric piece. Make sure the ties are pointing towards the center and are on the RIGHT SIDE of the fabric. Pin in place.



2. Place the other fabric piece on top, RIGHT SIDES facing. Make sure the ties are still facing the center, clear of where you will be sewing. Pin in place, leaving an opening where indicated on the pattern.




INSTRUCTIONS CONT.

3. Go to the instructions on the pattern piece.

Note: Step 3 is intended for 2-3 sewists. If you are playing solo, choose a different tempo every time you turn your work.


4. Turn mask RIGHT SIDE out and pin opening closed. Iron if needed. Repeat step 3, but this time stitch all the way around.




5. Fold and pin pleats.



6. Stitch one edge at a 1/4" seam. Turn machine on and drop presser foot in unison, then choose a tempo and keep it. When all sewists have finished the seam, lift presser foot and cut thread in unison. Repeat on other edge.



7. Repeat step 6 at a 3/8" seam. Turn machine off in unison.



8. Wear your mask or give it to someone who needs one.

PATTERN KEY



GRAINLINE



DOTS



RIGHT SIDE OF FABRIC



WRONG SIDE OF FABRIC



Fold



LIFT PRESSER FOOT



DROP PRESSER FOOT



TURN MACHINE ON (ALWAYS IN UNISON)



TURN MACHINE OFF (ALWAYS IN UNISON)

9"

MASK PATTERN №1

FRONT & BACK (CUT 2)


SCORE

3. a) Each sewist will play at a different tempo. Sewist 1 should choose a slow and steady tempo, Sewist 2 a fast tempo, and Sewist 3 somewhere in between.
- b) All sewists should sew in straight stitch at a 1/4" seam.
- c) Sewists turn on machine and drop presser foot in unison.
- d) Sewist 1 starts sewing first. Sewist 2 starts when Sewist 1 reaches 2nd DOT. Sewist 3 starts when Sewist 2 reaches second DOT. All sewists begin at START and continue at their respective tempos, lifting and dropping presser foot as needed.
- e) Sewists will arrive at STOP separately. When all sewists have arrived, lift presser foot, cut thread, and turn machines off in unison. Return to INSTRUCTIONS, step 4.



7"

SCORE - PATTERN



9"

MASK PATTERN № 1

FRONT & BACK (CUT 2)

SEWIST 1

3. a) Choose a slow, steady tempo.
- b) This step is sewn in straight stitch at a 1/4" seam.
- c) Turn on machine and drop presser foot in unison with the other sewists.
- d) Begin sewing first. Begin at START and continue sewing at a slow, steady tempo. Lift and drop presser foot to turn corners as needed.
- e) Sewists will arrive at STOP separately. When all sewists have arrived, lift presser foot, cut thread, and turn machines off in unison. Return to INSTRUCTIONS, step 4.



7"

SEWIST 1 - PATTERN



START



STOP

9"

MASK PATTERN № 1

FRONT & BACK (CUT 2)

SEWIST 2

3. a) Choose a fast tempo.
- b) This step is sewn in straight stitch at a 1/4" seam.
- c) Turn on machine and drop presser foot in unison with the other sewists.
- d) Begin sewing when Sewist 1 reaches 2nd DOT. Begin at START and continue sewing at fast tempo. Lift and drop presser foot to turn corners as needed.
- e) Sewists will arrive at STOP separately. When all sewists have arrived, lift presser foot, cut thread, and turn machines off in unison. Return to INSTRUCTIONS, step 4.

7"

SEWIST 2 - PATTERN



9"

MASK PATTERN № 1

FRONT & BACK (CUT 2)

SEWIST 3

3. a) Choose a medium tempo, anywhere between Sewist 1 and Sewist 2.
- b) This step is sewn in straight stitch at a 1/4" seam.
- c) Turn on machine and drop presser foot in unison with the other sewists.
- d) Begin sewing when Sewist 2 reaches 2nd DOT. Begin at START and continue sewing at medium tempo. Lift and drop presser foot to turn corners as needed.
- e) Sewists will arrive at STOP separately. When all sewists have arrived, lift presser foot, cut thread, and turn machines off in unison. Return to INSTRUCTIONS, step 4.



7"

SEWIST 3 - PATTERN

